


KITZ



KITZ COMMERCIAL VALVES

The Reliable Brand

for safe and healthy surroundings

KITZ CORPORATION

KITZ PRODUCTS

PN16FH



BRASS GATE VALVE

Non-Rising Stem, Screwed Bonnet, Solid Wedge
Body Material: Brass
Size: 1/2~2

PN16H



BRONZE GATE VALVE

Non-Rising Stem, Screwed-over Bonnet, Solid Wedge
Body Material: Bronze
Size: 1/2~2

PN20E



BRONZE GATE VALVE

Non-Rising Stem, Screwed Bonnet, Solid Wedge
Body Material: Bronze
Size: 1/2~2

AK150LU



BRONZE GATE VALVE

Rising Stem, Union Bonnet Designed to MSS SP-80
Body Material : Bronze
Size : 1/4~2

EB (Undrilled) EBH (10K)



BRONZE GATE VALVE

Non-Rising Stem, Screwed Bonnet, Flanged Ends
Body Material: Bronze
Size: 1/2~4

PN20C



BRONZE GLOBE VALVE

Rising Stem, Screwed Bonnet
Body Material: Bronze
Size: 1/2~2

PN20CA



BRONZE ANGLE GLOBE VALVE

Rising Stem, Screwed Bonnet
Body Material: Bronze
Size: 1/2~2

PN16G



BRONZE GLOBE VALVE

Rising Stem, Union Bonnet, PTFE Disc
Body Material: Bronze
Size: 1/2~2

PN20D



BRONZE GLOBE VALVE

Rising Stem, Union Bonnet, PTFE Disc
Body Material: Bronze
Size: 1/2~2

B (Undrilled) BH (10K)



BRONZE GLOBE VALVE

Rising Stem, Screwed Bonnet, Flanged Ends
Body Material: Bronze
Size: 1/2~4

PN20F



BRONZE LIFT CHECK VALVE

Horizontal Lift Check
Body Material: Bronze
Size: 1/2~2

PN16R



BRONZE SWING CHECK VALVE

Swing Check
Body Material: Bronze
Size: 1/2~2

RF



BRONZE LIFT CHECK VALVE

Vertical Lift Check
Body Material: Bronze
Size: 1/2~2

YR



BRONZE SWING CHECK VALVE

Y-Pattern Swing Check
Body Material : Bronze
Size : 1/2~3

PN16Y



Y-PATTERN STRAINER

Stainless Steel Punched Screen
Body Material: Bronze
Size: 1/2~2

TK



BRASS BALL VALVE

Reduced Bore, One-Piece Body
Body Material: Brass
Size: 1/8~2

**SZA
AKSZA**
(NPT)



BRASS BALL VALVE

Full Bore, AKSZA: UL/FM/CSA
Approved
Body Material: Brass
Size: 1/4~2

TN



3-WAY BRASS BALL VALVE

Standard L-Bore
Body Material: Brass
Size: 1/4~3

FV



BRASS BUTTERFLY VALVE

NBR Lined Disc,
Balancing Stop Lever
Body Material: Brass
Size: 1/2~2

125FCL



CAST IRON GATE VALVE

Rising Stem, BB, OS&Y
Body Material: Cast Iron
Size: 2~14

125FCWI



CAST IRON GATE VALVE

Non-Rising Stem, BB,
Inside Screw
Body Material: Cast Iron
Size: 2~12

125FCJ



CAST IRON GLOBE VALVE

Rising Stem, BB, OS&Y
Body Material: Cast Iron
Size: 2~8

125FCO



CAST IRON SWING CHECK VALVE

Bolted Cover, Swing Check
Body Material: Cast Iron
Size: 2~10

125FCY



CAST IRON Y-PATTERN STRAINER

Stainless Steel Punched
Screen
Body Material: Cast Iron
Size: 2~14

125FCTB



CAST IRON BALL VALVE

Full Bore, SS Ball
Body Material: Cast Iron
Size: 2~8

PN16FWNBM



CAST IRON WAFER CHECK VALVE

Double Plate, No by-pass
Valve Mounted.
Body Material : Cast Iron
Seat : Rubber (NBR)
Size : 2~12

9515 series



FIXED ORIFICE DRV

Flow Rate & Balancing in
the Hydronic Systems.
Body Material : Brass
Size : 1/2~2

955x



VARIABLE ORIFICE DRV

Flanged Ends PN16,
Lengths EN558-1.
Body Material : Cast Iron
Size : 2 1/2~12

G-10XJME
(10K/150)

**G-PN16
XJME**
(PN16)



10XJME
(10K/150)

**PN16
XJME**
(PN16)



ALUMINUM BUTTERFLY VALVE

316SS Disc, Replaceable EPDM Liner,
Dew-Condensation Proof
Body Material: Aluminum Die-cast
Size: 2~6 (Lever), 2~12 (Gear)

**G-150/
200DJ**
(150/200)

G-PN16DJ
(PN16)



**G-150/
200DJ**
(150/200)

PN16DJ
(PN16)




DUCTILE IRON BUTTERFLY VALVE

DI Disc, NBR Liner, Extended Stem
Body Material: Ductile Iron
Size: 2~8 (Lever), 2~24 (Gear)




Ductile Iron Valves



Cast Steel Valves




Stainless Steel Ball Valves



Stainless Steel Valves



Stainless Steel Valves



Steel Ball Valves




Electric Actuated Valves



Pneumatic Actuated Valves

ISO 9001 certified since 1989

KITZ
KITZ CORPORATION



1-10-1, Nakase, Mihama-ku, Chiba 261-8577, Japan
International Sales Dept. Phone : 81-43-299-1730, 1732 and 1733 Fax : 81-43-299-0121

— Distributed by —