

## KITZ INDUSTRIAL VALVES

The Reliable Brand

150SCLS, 150SCJS, 150SCOS, 150SCTDZ, 300SCLS, 300SCJS, 300SCOS, 300SCTDZ, 600SCLS, 600SCJS, 600SCOS, 600SCTC, SCTK, 800SCTK, 3000SCTK, SC3TZ, 150UMA, 150UPA, 150UOA, 150UNA, 300UMA, 300UPA, 300UOA, 300UNA, 150UTDZ, 150UTR, 300UTDZ, 300UTR, UTK, UTHM, UTFM, U3TZM, UEL, UEB, UJ, UJB, UO, UOB, UY, UYB



## KITZ PRODUCTS



BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 1<sup>1</sup>/2~36



BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 11/2~18




Bolted cover, Flanged ends Body Material: WCB Size: 11/2~30



Full bore, Floating ball, Flanged ends Body Material: WCB Size: 1/2~10







BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 1<sup>1</sup>/<sub>2</sub>~16



CAST STEEL SWING CHECK VALVE

Bolted cover,
Flanged ends
Body Material: WCB
Size: 11/2~30



CAST STEEL BALL VALVE
Full bore, Floating ball,
Flanged ends
Body Material: WCB
Size: 1/2~8



BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 2~24



BB, Rising stem, OS&Y, Flanged ends Body Material: WCB Size: 2~12

800SCTK

800



Bolted cover, Flanged ends Body Material: WCB Size: 2~24



Full bore, Trunnion ball, Flanged ends Body Material: WCB Size: 2~30







Reduced bore, One-piece body, Threaded ends Body Material: A105 Size: 1/4~2



Body Material: WCB Size: 1/2~2(Lever handle available)



BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UMAM) Size: 1/2~24



BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UPAM) Size: 1/2~12



Bolted cover, Flanged ends Body Material: CF8/CF8M(UOAM) Size: 1<sup>1</sup>/<sub>2</sub>~24



Bolted cover, Flanged ends Body Material: CF8/CF8M(UNAM) Size: 1/2~11/2



BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UMAM) Size: 1/2~24



BB, Rising stem, OS&Y, Flanged ends Body Material: CF8/CF8M(UPAM) Size: 1/2~10



Bolted cover, Flanged ends Body Material: CF8/CF8M(UOAM) Size: 1<sup>1</sup>/<sub>2</sub>~24



Size: 1/2~11/2







Full bore, Floating ball, Flanged ends Body Material: CF8/CF8M(UTDZM) Size: 2~10



Full bore, Floating ball, Flanged ends Body Material: CF8/CF8M(UTDZM) Size: 1/2~8



Reduced bore, Floating ball, Flanged ends
Body Material: CF8/CF8M(UTRM)
Size: 2~10



Reduced bore, One-piece body, Threaded ends Body Material: CF8/CF8M(UTKM) Size: 1/4~2



Reduced bore, Threaded ends Body Material: CF8M Size: 1/2~2



Full bore, Threaded ends Body Material: CF8M Size: 1/2~2





**Ductile Iron Valves** 



**Ductile Iron Batterfly Valves** 



**Electric Actuated Valves** 



**Pneumatic Actuated Valves** 



**Cryogenic Valves** 



Steel Ball Valves, Trunnion Ball Design



**Duplex Stainless Steel Valves** 



1-10-1, Nakase, Mihama-ku, Chiba 261-8577, Japan International Sales Dept. Phone: 81-43-299-1730, 1732 and 1733 Fax: 81-43-299-0121 URL: www.kitz.co.jp

—— Distributed by ——

Printed in Japan 1109 DITP